# SECTION 1: CHEMICAL PRODUCT AND COMPANY INFORMATION

SYNONYMS:

PROPER SHIPPING NAME: lodine
CAS NUMBER: 68439-47-4
UN NUMBER: Not Regulated

**PRODUCT USE:** Aid in the control of Mastitis producing organism on the teat

**SUPPLIER:** Agmax Industries Limited, 63b Allens Road, East Tamaki, 2013,

Auckland Telephone: +64 9 271 5290

24 H Emergency Contact: 0800 243 622 (24 Hours)

Website: <a href="www.agmax.co.nz">www.agmax.co.nz</a>
Email: <a href="mailto:info@agmax.co.nz">info@agmax.co.nz</a>

## **SECTION 2: HAZARDS IDENTIFICATION**

**STATEMENT OF HAZARDOUS NATURE** Classified as a Licensed Animal Remedy EPA NZ Approval Code: HSR002310 **Based on Iodine 20**% and New Organisms legislation and GHS 7<sup>th</sup> Edition.

### **CLASSIFICATION AND HAZARD STATEMENTS**

- 6.3A, 6.4A, 6.5B, 6.9B, 9.1C
- 6.3A Harmful may cause skin irritation
- H315 Causes skin irritation
- 6.4A Harmful may cause eye irritation
- H320 Causes eye irritation
- 6.5B Harmful may cause skin sensitization from prolonged skin contact
- H317 May cause an allergic skin reaction
- 6.9B Harmful presumed to cause organ damage from repeated oral exposure at high doses
- H373 May cause damage to organs through prolonged or repeated exposure
- 9.1C Harmful to aquatic life with long-lasting effects. Avoid contamination of any water supply with product or container
- H412 Harmful to aquatic life with long lasting effects

#### Prevention statements:

- P103 Read label before use
- P260 Do not breathe fumes / mist / vapors or spray
- P261 Avoid breathing fumes / mist / vapors or spray
- P264 Wash hands thoroughly after using



# **AGMAX Iodine Teatspray**

P270 Do not eat, drink or smoke when using this product

P272 Contaminated clothing should not be allowed out of the workplace

P273 Avoid release into the environment.

P280 Wear protective gloves and clothing

### Response statements:

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P321 Specific treatment (refer First Aid section of the label)
P332+P313 If skin irritation occurs get medical advice / attention
P362 Take off contaminated clothing and wash before re-use

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses if present and easy to do. Continue rinsing

P337+P313 If eye irritation persists get medical attention
P363 Wash contaminated clothing before re-use

P309+P311 If exposed or if you feel unwell: Call a POISON CENTER or doctor / physician

P314 Get medical advice / attention if you feel unwell

**Storage Statements:** 

P405 Store locked up

### **Disposal Statements:**

P501 Dispose of empty containers safely in accordance with local regulations.

## **SECTION 3: COMPOSITION**

**Appearance:** Dark Brown / Black viscous liquid

**Contains:** 20 grams per litre of available lodine in the form of an ethoxylated alcohol

lodine

complex

Ingredient CAS Number Proportion

Ethoxylated iodine complex 68439-47-4 <15% Citric acid 77-92-9 <1% Balance

### **SECTION 4: FIRST AID MEASURES**

If medical advice is needed, have product container or label on hand

Refer First Aid instructions on label

## **AGMAX Iodine Teatspray**

### **SWALLOWED**

If Swallowed: Give water to dilute Do NOT induce vomiting. Seek immediate medical assistance. If breathing stops start mouth to nose resuscitation. Arrange urgent transport to hospital.

## Immediately call a POISON CENTER or doctor/physician

Never give anything by mouth to an unconscious person.

### EYE

If in eyes: Hold eyelids apart and flush the eye continuously with running water. Continue flushing until advised to stop by the Poisons Information centre or a doctor, or for at least 15 minutes. Seek immediate medical attention. Immediately call a Poison Centre or doctor/physician.

### **SKIN**

Skin Contact: Remove contaminated clothing including footwear. Wipe off excess material from skin and then flush skin thoroughly with plenty of water for at least 15 minutes. Do not use organic solvents or thinners. Seek medical attention if redness, blistering or irritation occurs or persists. Wash contaminated clothing and shoes before reuse.

### **INHALED**

If Inhaled: Remove victim to fresh air. Keep warm. Allow person to assume most comfortable position. Keep at rest until fully recovered. If breathing has stopped, apply artificial respiration. Seek medical attention immediately if the person is coughing or other symptoms develop or persist. Do not use direct mouth-to-mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device. Administer oxygen if breathing is difficult.

### **NOTES TO PHYSICIAN**

Ensure that attending medical personnel are aware of the identity and nature of the product(s) involved and take precautions to protect themselves. Treat symptomatically and supportively.

### **SECTION 5: FIRE FIGHTING MEASURES**

### **GENERAL MEASURES**

If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of water until well after fire is out. Avoid getting water inside containers.

### **FLAMMABILITY CONDITIONS**

Non-combustible. Material does not burn. Decomposes on heating, emitting toxic fumes.

### **SPECIFIC HAZARDS**

Strong heating under fire conditions may result in release of toxic gases of iodine and hydrogen iodide. Contact with oxidizable substances and incompatibles may cause extremely violent decomposition.

Fire fighters should wear full protective clothing and self-contained breathing apparatus.

### **EXTINGUISHING MEDIA**

Water Spray, Fog or foam

## **AGMAX Iodine Teatspray**

#### FIRE AND EXPLOSION HAZARDS

Fire fighters to wear self-contained breathing apparatus if risk or exposure to products of decomposition. Container may burst releasing hot fluids if exposed to heat.

#### HAZARDOUS PRODUCTS OF COMBUSTION

Fire or heat will produce irritating, toxic, and/or corrosive gases. Could include: Carbon Dioxide, Carbon monoxide, Halogenated Compounds

### SPECIAL FIRE FIGHTING INSTRUCTIONS

Runoff from fire control or dilution water may be toxic and/or corrosive and pollute waterways.

## PERSONAL PROTECTIVE EQUIPMENT

Wear self-contained breathing apparatus (SCBA) with a full face-piece, in positive pressure mode. Fully encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is recommended for fire situations ONLY - it is NOT effective for spills.

#### **FLASH POINT**

No Data Available

### LOWER EXPLOSION LIMIT

No Data Available

#### **UPPER EXPLOSION LIMIT**

NO Data Available

## **AUTO INGINTION TEMPERTAURE**

No Data Available

**HAZCHEM CODE** 

### **SECTION 6 : ACCIDENTAL RELEASE MEASURES**

## **General Response Procedure**

Ventilate enclosed spaces before entering. Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin and eyes

## Clean Up Procedures

Isolate hazard area. Wear protective clothing, safety goggles and gloves when cleaning up spills. Do not flush spills directly to sewer. Transfer material to suitable containers for recovery. Cover spill area with an excess of reducing agent (e.g. sodium thiosulfate solution) then neutralize with soda ash. Collect slurry into approved containers.

### Containment

# **AGMAX Iodine Teatspray**

Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Dike and clean up all spills immediately.

### **Decontamination**

Small spills or residues can be flushed with plenty of water.

## **Environmental Precautionary Measures**

Drains for storage or work areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.

### **Evacuation Criteria**

Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground.

## Personal Precautionary Measures

Wear SCBA and chemical splash suit. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective for spills.

## **SECTION 7: HANDLING AND STORAGE**

### PRECAUTIONS FOR SAFE HANDLING

Handle and open containers with care. Use only in well ventilated areas. Close containers tightly immediately after use.

Avoid spilling, skin and eye contact. Wear protective clothing, including elbow length

PVC gloves and suitable eye protection.

Use with adequate ventilation - avoid creation and inhalation of aerosols.

After use wash hands before eating, drinking or smoking.

Do not handle broken packages unless wearing appropriate personal protective equipment.

### **STORAGE CONDITIONS**

Store in a cool, dry, well ventilated area away from sources of heat or ignition. Keep out of direct sunlight. Store away from foodstuffs. Store away from incompatible materials. Keep containers closed when not in use - check regularly for leaks

### **SHELF LIFE**

Use within 12 Months

## **SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION**

### **EXPOSURE LIMITS**

Observe the New Zealand Workplace Exposure Standard:

Iodine:(Ceiling) TWA 0.1 ppm, 1.0 mg/m3

### **ENGINEERING CONTROLS**

## **AGMAX Iodine Teatspray**

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure Standards. If inhalation risk exists: Use with local exhaust ventilation or while wearing air supplied mask. Keep containers closed when not in use.

### **EYE/FACE PROTECTION**

Use safety glasses (with side shields).

### **SKIN PROTECTION**

Chemical protective gloves should be worn when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

### OTHER PROTECTION

Wear overalls, use elbow length PVC gloves and suitable eye protection.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

### **APPEARANCE**

Dark Brown - Black viscous liquid with pungent odour

### PHYSICAL PROPERTIES

Miscible in water.

Specific Gravity: 1.11 @ 20°C pH value: 3.2 - 3.6

## **SECTION 10: STABILITY AND REACTIVITY**

#### REACTIVITY

No data available

### **CHEMICAL STABILITY**

Stable in sealed containers if stored correctly

Avoid heat, light and poor ventilation

Incompatible with ammonia, powdered metals, alkali metals, strong reducing agents, ammonium hydroxide and strong bases

## **SECTION 11: TOXICOLOGICAL INFORMATION**

lodine

**Oral LD50** (rat) 14000 mg/kg

Oral (human) 28 mg/kg - Lowest lethal dose

Inhalation (rat) 137 ppm/h - Lowest level concentration

### **SECTION 12: ECOLOGICAL INFORMATION**

### **ECOTOXICITY**

Avoid contaminating waterways

Aquatic Toxicity: (fish) LC50 1.7 mg/1/96 h (Rainbow Trout)

**Daphina Toxicity:** EC50 0.2 mg/1/48 h (Daphina magna)

This substance is toxic to aquatic organisms and is hazardous to the environment.

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### **CONTAINER DISPOSAL**

Wherever possible, the material should be reclaimed or re-used. Otherwise, waste material can be disposed either by incineration of by disposal to a licensed waste disposal.

Dispose of empty containers safely in accordance with local regulations.

Triple rinse containers when empty, add rinsing to use solutions.

Avoid contamination of natural water supplies with chemical or empty container.

After cleaning, all existing labels should be removed.

### PRODUCT DISPOSAL

Landfill. Containers maybe disposed of in the same manner.

### **SECTION 14: TRANSPORT INFORMATION**

Not Classified as Dangerous Goods for transport Purposes

## **SECTION 15: REGULATORY INFORMATION**

**REGULATIONS** 

ERMA approval Code: HSR002521 Animal Nutritional and Animal Care

**Products Group Standard 2006** 

ACVM Approval: A006882

HSNO Classification: Trigger quantities for this substance by itself in a place

6.3 - SKIN IRRITATION - Category A

6.4 - EYE IRRITATION - Category A (Irritant)

6.5 - SENSITIZATION - Category B (Skin)

6.9 - SPECIFIC TARGET ORGAN TOXICITY (SINGLE OR REPEATED EXPOSURE): ORAL -

Category B

9.1 - AQUATIC ECOTOXICITY - Category A

## New Zealand Inventory of Chemicals (NZIoC):

All components are listed or exempted.

Safety, health and environmental regulations specific for the product.

Hazardous Substance Location trigger quantity: Not required

Approved Handler trigger quantity: Not required

Secondary containment trigger quantity: 1,000 L

Signage trigger quantity: 100 L

Emergency Response Plan trigger quantity: 1,000 L

The trigger quantities above must take into account any other hazardous substance

that is present at that location.

Location Test certificate: Not required

# **AGMAX Iodine Teatspray**

Emergency Plan:

Not required

## **SECTION 16: OTHER INFORMATION**

New Zealand Poisons Information Center 0800 POISON (0800 764 766)

EPA The Environmental Protection Authority of New Zealand

GHS Globally Harmonized System of Classification and Labelling of Chemicals

HSHO Hazardous Substances and New Organisms Act 1996

MPI Ministry for Primary Industries

#### Disclaimer:

The data given relates to this product alone, and not to its use in conjunction with other substances or products. In such circumstances, assuming the combination is permitted, refer to product labels, be guided by the most hazardous of the substances involved and observe the more stringent hazard controls applicable.

The information contained in this Safety Data Sheet was obtained from current and reliable sources. The data is supplied without warranty, expressed or implied regarding its correctness and accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

**DISCLAIMER**: The information contained in this safety data sheet was obtained from current and reliable sources. This data is supplied without warranty, expressed or implied, regarding its correctness and accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product,

SDS Issued: 5<sup>th</sup> June 2024 Supersedes: 17<sup>th</sup> June 2019

Reason for Revision: 5-year review and update