AGMAX Multiwash Alkali

SECTION 1: CHEMICAL PRODUCT AND COMPANY INFORMATION

SYNONYMS:

PROPER SHIPPING NAME: Sodium Hypochlorite Solution

UN NUMBER: 1791

PRODUCT USE: For periodic cleaning of Farm Dairy milking machines and milk vats

SUPPLIER: Agmax Industries Limited, 63b Allens Road, East Tamaki, 2013,

Auckland Telephone: +64 9 271 5290

24 H Emergency Contact: 0800 243 622 (24 Hours)

Website: www.agmax.co.nz
Email: info@agmax.co.nz

SECTION 2: HAZARDS IDENTIFICATION

STATEMENT OF HAZARDOUS NATURE

Classified as Hazardous according to the criteria of the New Zealand Hazardous Substances and New Organisms legislation and GHS 7th Edition.

GHS Hazard Statements

Physical Hazards: Highly corrosive liquid. Health Hazards: May be fatal if swallowed.

Causes serious eye and skin damage.

Environmental Hazards: Toxic to aquatic life. May cause long-lasting harmful effects.

Harmful to terrestrial vertebrates.

HSNO Classification and Hazard Statements:

6.1D,8.1A, 8.2B, 8.3A, 9.1D

- 6.1D Harmful keep out of reach of children
- H302 Harmful if swallowed
- H312 Harmful in contact with skin
- H332 Harmful if inhaled
- 8.1A Metallic Corrosive
- H290 May be corrosive to metals
- 8.2B Dermal Corrosive
- H314 Causes severe skin burns and eye damage
- 8.3A Ocular Corrosive (eye)
- H318 Causes serious eye damage
- 9.1D Harmful to aquatic organisms
- H402 Harmful to aquatic life



AGMAX Multiwash Alkali

Drove	ontion	statem	onte
	→।।।।()। ।	STATELL	1 – 111 –

P102 Keep out of reach of children

P103 Read label before use

P234 Keep only in original container

P260 Do not breathe fume / mist / vapors or spray

P264 Wash hands thoroughly after using

P270 Do not eat, drink or smoke when using this product

P271 Use only outdoors or in a well-ventilated area

P273 Avoid release into the environment.

P280 Wear protective gloves and clothing

Response statements:

P101 If medical advice is needed, have product container or label at hand P301+P312 IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel

unwell

P330 Rinse mouth

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P312 Call a POISON CENTER or doctor/physician if you feel unwell.

P322 Specific measures (see First Aid section on the label)

P363 Wash contaminated clothing before re-use

P304+P340 IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell

P390 Absorb spillage to prevent material damage

P301+P330+P331 IF SWALLOWED: Rinse mouth. Do not induce vomiting.

P303+P361+P353 IF ON SKIN: remove all contaminated clothing. Rinse with water / shower

P310 Immediately call POISON CENTER or doctor/physician

P321 Specific treatment (refer First Aid section of the label)

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

Storage statements:

P405 Store locked up

P406 Store in corrosive resistant container with a resistant inner liner

Disposal Statements:

P501 Dispose of empty containers safely in accordance with local regulations.

< 2%

SECTION 3: COMPOSITION

Appearance:

Ingredient	CAS Number	Proportion
Water	7732-18-5	<60%
Sodium Hypochlorite	7681-52-9	<30%
Sodium Hydroxide	1310-73-2	<20%

Benzene, 1, 1'-oxybis, tetrapropylene Derivatives, Sulfonated, sodium salts

SECTION 4: FIRST AID MEASURES

Pale Yellow

If medical advice is need, have product container or label on hand

Refer First Aid instructions on label

SWALLOWED

If Swallowed: Rinse mouth then give a glass or two of water or milk, DO NOT induce vomiting unless medical assistance is delayed by 15 minutes (take care to avoid patient inhaling stomach contents). If breathing stops, mouth to nose resuscitation. Arrange urgent transport to hospital. Immediately call POISON CENTRE 0800 764 766 (0800 POISON) or a doctor/physician.

119345-04-9

EYE

If in Eyes: Wash eye with gently running water for at least thirty minutes, keeping eyelids apart and moving eye. Do not rub your eye. Cover with sterile dressing. Seek medical attention immediately. Immediately call a Poison Centre or doctor/physician.

SKIN

Skin Contact: Quickly remove contaminated clothing. Wash skin with large quantities of water. Seek medical attention. Immediately call a Poison Centre or doctor/physician. Wash contaminated clothing and shoes before reuse.

INHALED

If Inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Apply resuscitation if victim is not breathing. Do not use direct mouth-to-mouth method if victim ingested or inhaled the substance; use alternative respiratory method or proper respiratory device. Administer oxygen if breathing is difficult.

NOTES TO PHYSICIAN

Treat symptomatically. Can cause corneal burns, delayed pulmonary oedema may result. Ensure that attending medical personnel are aware of the identity and nature of the product(s) involved and take precautions to protect themselves. Treat symptomatically and supportively.

SECTION 5 : FIRE FIGHTING MEASURES

GENERAL MEASURES

If safe to do so, move undamaged containers from fire area. Cool containers with flooding quantities of water until well after fire is out. Avoid getting water inside containers.

AGMAX Multiwash Alkali

FLAMMABILITY CONDITIONS

Non-combustible. Material does not burn.

EXTINGUISHING MEDIA

Use extinguishing media suitable for the surrounding fire. Use dry chemical, CO2, foam or water spray - Do NOT use water jets.

FIRE AND EXPLOSION HAZARSS

Containers may explode when heated. Contact with metals may evolve flammable hydrogen gas. Contact with moisture or water may generate sufficient heat to ignite combustible substances; spattering and boiling may occur.

HAZARDOUS PRODUCTS OF COMBUSTION

Fire or heat will produce irritating, toxic, and/or corrosive gases.

SPECIAL FIRE FIGHTING INSTRUCTIONS

Runoff from fire control or dilution water may be toxic and/or corrosive and pollute waterways.

PERSONAL PROTECTIVE EQUIPMENT

Wear self-contained breathing apparatus (SCBA) with a full face-piece, in positive pressure mode. Fully encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is recommended for fire situations ONLY - it is NOT effective for spills.

FLASH POINT

No Data Available

LOWER EXPLOSION LIMIT

No Data Available

UPPER EXPLOSION LIMIT

NO Data Available

AUTO INGINTION TEMPERTAURE

No Data Available

HAZCHEM CODE

2X

SECTION 6: ACCIDENTAL RELEASE MEASURES

General Response Procedure

Ventilate enclosed spaces before entering. ELIMINATE all ignition sources (no smoking, flares, sparks or flames). Do not touch or walk through spilled material. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Avoid contact with skin and eyes

Clean Up Procedures

Contain and absorb. Avoid contamination of waterways. Small quantities can be neutralized with soda ash provided the area is (can be) well ventilated and washed to drain with large quantities of water.

AGMAX Multiwash Alkali

Electrical conductor - isolate power in case of spills.

Containment

Stop leak if safe to do so - Prevent entry into waterways, drains or confined areas. Dike and clean up all spills immediately.

Decontamination

Small spills or residues can be flushed with plenty of water.

Environmental Precautionary Measures

Drains for storage or work areas should have retention basins for pH adjustments and dilution of spills before discharge or disposal of material.

Evacuation Criteria

Spill or leak area should be isolated immediately. Keep unauthorised personnel away. Keep upwind and to higher ground.

Personal Precautionary Measures

Wear SCBA and chemical splash suit. Fully-encapsulating, gas-tight suits should be worn for maximum protection. Structural firefighter's uniform is NOT effective for spills

SECTION 7: HANDLING AND STORAGE

Corrosive - Nonflammable

Avoid spilling, skin and eye contact. Wear protective clothing, including elbow length PVC gloves and suitable eye protection.

Use with adequate ventilation - avoid creation and inhalation of aerosols.

After use wash hands before eating, drinking or smoking.

Do not handle broken packages unless wearing appropriate personal protective equipment.

STORAGE CONDITIONS

Do not store with D.G classes 1,5,7, strong acids, food or food containers.

Store in original container, out of direct sunlight, tightly closed, away from foodstuffs and out of reach of children.

SHELF LIFE

Use within 6 months

SECTION 8: EXPOSURE CONTROLS & PERSONAL PROTECTION

EXPOSURE LIMITS

Sodium Hypochlorite

No value assigned by NZ Occupational Safety and Health (OSH)

However, Exposure Standard(s) for decomposition product(s)

Chlorine: WES - TWA 0.5 ppm, 1.5 mg/m3

WES - STEL 1 ppm, 2.9 mg/m3

Sodium Hydroxide: TWA 2 mg/m3

AGMAX Multiwash Alkali

ENGINEERING CONTROLS

Ensure ventilation is adequate and that air concentrations of components are controlled below quoted Exposure Standards. If inhalation risk exists: Use with local exhaust ventilation or while wearing air supplied mask. Keep containers closed when not in use.

EYE/FACE PROTECTION

Use safety glasses (with side shields).

SKIN PROTECTION

Chemical protective gloves should be worn when handling this material. Consistent with general hygienic practice for any material, skin contact should be minimized.

OTHER PROTECTION

Wear overalls use elbow length PVC gloves and suitable eye protection.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Pale Yellow - Chlorine

Solubility in water (g/l): miscible

Specific Gravity: 1.22 @ 20 C

Chlorine Assay: 3.2% pH: 11.8

SECTION 10: STABILITY AND REACTIVITY

REACTIVITY

Stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

Incompatible with acids, metals, metal salts, peroxides, reducing agents and ethylene diamine tetraacetic acid.

SECTION 11: TOXICOLOGICAL INFORMATION

Sodium Hypochlorite

Acute Oral Toxicity, Rat, LD50: 8910mg/kg Acute Oral Toxicity, Mouse, LD50: 5800mg/kg

Acute Dermal Toxicity, Rabbit: 500mg/24h Moderate

Sodium Hydroxide

Acute Dermal Toxicity, Rabbit LD50:1350mg/kg [NZ EPA CCID]

Acute Inhalation Toxicity, LC50: No data.

Irritation Data:

Skin (rabbit): 500 mg/24h SEVERE Eye (rabbit): 0.05 mg/24h SEVERE Eye (rabbit):1 mg/24h SEVERE

Eye (rabbit):1 mg/30s rinsed- SEVERE

Benzene, 1, 1'-oxybis, tetrapropylene Derivatives, Sulfonated, sodium salts

AGMAX Multiwash Alkali

Acute Oral Toxicity, Rat, LD50: >2000 mg/kg (no deaths) Acute Dermal Toxicity, LD50: >2000mg/kg (no deaths) Acute Inhalation Toxicity, LC50: no data available.

SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity

Hypochlorites are extremely toxic to fish; Exposure to 0.5 % over 96 hours resulted in death of trout.

12.2 Persistence and degradability

Hypochlorites are non-persistent in the environment and there is no accumulation potential as they gradually decompose into a salt and oxygen.

12.3 Bioaccumulative potential

Hypochlorites are non-persistent in the environment and there is no accumulation potential as they gradually decompose into a salt and oxygen.

12.4 Mobility in soil

May leach to groundwater with resultant toxicity to aquatic organisms.

12.5 Other adverse effects

No information provided.

SECTION 13: DISPOSAL CONSIDERATIONS

Container disposal:

Dispose of empty containers safely in accordance with local regulations.

Triple rinse containers when empty, add rinsing to use solutions.

Avoid contamination of natural water supplies with chemical or empty container.

After cleaning, all existing labels should be removed.

Product disposal:

Dispose of material through licensed waste contractor

SECTION 14: TRANSPORT INFORMATION

UN No. 1719

Dangerous Goods Class: 8 - Corrosive

Hazchem code: 2R
Packing group: II

Proper Shipping Name: Sodium Hypochlorite Solution

Segregation: Don't store with D.G classes 1, 5, 7, strong acids, food or food

containers.

SECTION 15: REGULATORY INFORMATION

ERMA Approval HSR002526 Cleaning Products (corrosive) Group Standard 2020

MPI Approval MPI approved for use in farm dairies

HSNO Controls: 6.1D 8.1A 8.2B 8.3A 9.1D

Trigger quantities for this substance by itself in a place

Approve handler test certificate: Not required
Hazardous substance location: Not required
Location Test certificate: Not required
Hazardous Atmosphere Zone: Not required
Emergency Plan: 1,000 ltrs
Tracking: Not required
Warning Signs: 10,000 ltrs
Record of application or discharge: Not required

SECTION 16: OTHER INFORMATION

New Zealand Poisons Information Center 0800 POISON (0800 764 766)

EPA The Environmental Protection Authority of New Zealand

GHS Globally Harmonized System of Classification and Labelling of Chemicals

HSHO Hazardous Substances and New Organisms Act 1996

MPI Ministry for Primary Industries

Disclaimer:

The data given relates to this product alone, and not to its use in conjunction with other substances or products. In such circumstances, assuming the combination is permitted, refer to product labels, be guided by the most hazardous of the substances involved and observe the more stringent hazard controls applicable.

The information contained in this Safety Data Sheet was obtained from current and reliable sources. The data is supplied without warranty, expressed or implied regarding its correctness and accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss, injury, damage, or expense resulting from improper use of this product.

DISCLAIMER: The information contained in this safety data sheet was obtained from current and reliable sources. This data is supplied without warranty, expressed or implied, regarding its correctness and accuracy. It is the user's responsibility to determine safe conditions for use of this product and to assume liability for loss, injury, damage or expense resulting from improper use of this product.

SDS Issued: 5th June 2024 Supersedes: 17th June 2019

Reason for Revision: 5-year review and update